

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 05/07/2017 Revision date: 03/12/2020 Supersedes version of: 30/10/2019 Version: 6.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Product name UFI Product code

: Mixture

- : Sinks, Showers & Baths Unblocker
- : RY10-H0HS-N00Y-MJ3N
- : KOKBGEN

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended	for	deneral	public
		90	p

intended for general public	
Main use category	: Professional use,Consumer use
Use of the substance/mixture	: Cleaning agent for unblocking waste pipes
Use of the substance/mixture	: Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

Restrictions on use

: THIS PRODUCT IS A CORROSIVE PRODUCT UNDER UK OFFENSIVE WEAPONS ACT 2019. SALE OR DELIVERY TO SOMEONE UNDER THE AGE OF 18 YEARS OLD IS RESTRICTED.

#### **1.3. Details of the supplier of the safety data sheet**

Supplier	EU
J.V. Barrett & Co. Ltd	Barrettine (Europe) Ltd
St Ivel Way	Unit 3D North Point House, North Point Business Park,
Warmley	New Mallow Road
BS30 8TY Bristol - United Kingdom	T23 AT2P Cork - Ireland
T +44 (0)1179 60 00 60	T +44 1179 60 00 60
sales@barrettine.co.uk - www.barrettine.co.uk	sales@barrettine.co.uk - www.barrettine.co.uk

#### 1.4. Emergency telephone number

Emergency number

: +44 (0) 1179 600060 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.) +44 (0) 1270 502891 (Out of hours emergency number)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin corrosion/irritation, Category 1, Sub-Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318
Full text of H statements : see section 16	

#### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 2.2. Label elements

Labelling according to Regulation (EC) No	p. 1272/2008 [CLP]
Hazard pictograms (CLP)	: GHS05
Signal word (CLP)	: Danger
Contains	: Sodium hydroxide
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children.
	P260 - Do not breathe vapours, spray.
	P280 - Wear protective gloves, protective clothing, eye protection, face protection.
	P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	Immediately call a POISON CENTER, a doctor.
	P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Immediately call a POISON CENTER, a doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER, a doctor. P405 - Store locked up.
	P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Child-resistant fastening	: Applicable
Tactile warning	: Applicable

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	≥ 30 – < 50	Skin Corr. 1A, H314

# Specific concentration limits:

Name	Product identifier	Specific concentration limits
Sodium hydroxide	(EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6	( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 4: First aid measures** 4.1. Description of first aid measures First-aid measures general : Get medical advice/attention if you feel unwell. First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately. First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy : to do. Continue rinsing. Call a physician immediately. First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after skin contact : Burns. Symptoms/effects after eye contact : Serious damage to eyes. Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subst	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective e	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapours, spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containn	nent and cleaning up
Methods for cleaning up Other information	<ul><li>Take up liquid spill into absorbent material.</li><li>Dispose of materials or solid residues at an authorised site.</li></ul>
6.4. Reference to other sections	

For further information refer to section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe vapours, spray. Wear personal protective equipment.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this</li> </ul>
nygiene measures	product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including any incompatibilities	

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep cool.

## 7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
Sodium hydroxide (1310-73-2)		
Ireland - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL (15 min ref) (mg/m3)	2 mg/m³	
Regulatory reference	Chemical Agents Code of Practice 2020	
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (mg/m <sup>3</sup> )	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protective equipment:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Protective goggles. Gloves.

#### Materials for protective clothing:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Hand protection:

Protective gloves. Wear chemically resistant gloves tested to EN374

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Repeated or prolonged exposure, In case of contact through splashing	Nitrile rubber (NBR), Chloroprene rubber (CR)	6 (> 480 minutes)	0.65		EN 374-2, EN 374-3
In case of contact through splashing, Repeated or prolonged exposure	Polyvinylchloride (PVC), Butyl rubber, Viton® II	6 (> 480 minutes)	0.5		EN 374-2, EN 374-3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing. Corrosive chemical-resistant protective suit

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



#### Environmental exposure controls:

Avoid release to the environment.

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	
Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
рН	: ≤14@1%
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.1
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>		
Sodium hydroxide (1310-73-2)			
LD50 oral rat	140 – 340 mg/kg Source: ECHA		
LD50 dermal rabbit	1350 mg/kg Source: HSDB		
Skin corrosion/irritation	: Causes severe skin burns. pH: ≤ 14 @1%		
Serious eye damage/irritation	: Causes serious eye damage. pH: ≤ 14 @1%		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: Not classified		

#### **SECTION 12: Ecological information**

# **12.1. Toxicity** Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms. Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified Not rapidly degradable : Not classified

Sodium hydroxide (1310-73-2)	
LC50 fish 1	125 mg/l
EC50 Daphnia 1	40.4 mg/l Test organisms (species): Ceriodaphnia sp.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
Sodium hydroxide (1310-73-2)		
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
Sinks, Showers & Baths Unblocker		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

**12.6. Other adverse effects** 

No additional information available

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
UN 1824	UN 1824	UN 1824	UN 1824	UN 1824
14.2. UN proper shippin	g name			
SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	Sodium hydroxide solution	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION
Transport document descr	iption			
UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II, (E)	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II	UN 1824 Sodium hydroxide solution, 8, II	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II	UN 1824 SODIUM HYDROXIDE SOLUTION 8, II
14.3. Transport hazard o	class(es)			
8	8	8	8	8
R R	B	B	R R	B B
14.4. Packing group				
II	II	11	II	II

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

-	angerous for the	Dangerous for the	Dangerous for the	Dangerous for the	
environment : No environment : No Marine pollutant : N		environment : No	environment : No	environment : No	
lo supplementary information availa	able				
4.6. Special precautions for u	ser				
Overland transport					
Classification code (ADR)	: C5				
imited quantities (ADR)	: 11				
Excepted quantities (ADR)	: E2				
acking instructions (ADR)		1, IBC02			
lixed packing provisions (ADR)	: MP1	5			
Portable tank and bulk container instructions and bulk container and					
ortable tank and bulk container spece ADR)					
ank code (ADR)	: L4BI	N			
ank special provisions (ADR)	: TU4				
ehicle for tank carriage	: AT				
ransport category (ADR)	: 2				
lazard identification number (Kemler					
Drange plates	:	80			
		00			
	-	1824			
	-				
unnel restriction code (ADR)	: E				
AC code	: 2R				
ransport by sea					
imited quantities (IMDG)	: 1 L				
excepted quantities (IMDG)	: E2				
Packing instructions (IMDG)	: P00				
BC packing instructions (IMDG)	: IBC	)2			
ank instructions (IMDG)	: T7 : TP2				
ank special provisions (IMDG) EmS-No. (Fire)	: F-A				
EmS-No. (Spillage)	: S-B				
Stowage category (IMDG)	: O D : A				
Segregation (IMDG)		518, SG35			
Properties and observations (IMDG)			id. Reacts with ammonium sa	lts, evolving ammonia	
	gas.	Causes burns to skin, eyes	and mucous membranes. Rea	acts violently with acids.	
Air transport					
CA Excepted quantities (IATA)	: E2				
CA Limited quantities (IATA)	: Y840				
PCA limited quantity max net quantity					
CA packing instructions (IATA)	: 851				
PCA max net quantity (IATA)	: 1L				
CAO packing instructions (IATA)	: 855				
CAO max net quantity (IATA) Special provisions (IATA)	: 30L : A3, /	4803			
RG code (IATA)	: 8L				
nland waterway transport	. 52				
Classification code (ADN)	: C5				
imited quantities (ADN)	: 05 : 1 L				
Excepted quantities (ADN)	: E2				
Equipment required (ADN)	: PP,	EP			
lumber of blue cones/lights (ADN)	: 0				
Rail transport					
Classification code (RID)	: C5				
imited quantities (RID)	: 1L				
Excepted quantities (RID)	: E2				

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing instructions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions (RID)	: P001, IBC02 : MP15 : T7 : TP2
Tank codes for RID tanks (RID)	: L4BN
Special provisions for RID tanks (RID)	: TU42
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

**15.2. Chemical safety assessment** 

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes:			
New format.			
Section	Changed item	Change	Comments
1.3	Additional information	Added	Barrettine (Europe) Ltd

#### Abbreviations and acronyms:

-	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous GoodsLC50Median lethal concentrationLD50Median lethal doseLOAELLowest Observed Adverse Effect LevelNOAECNo-Observed Adverse Effect LevelNOAELNo-Observed Adverse Effect LevelNOAECNo-Observed Effect ConcentrationNOECOccupational Exposure LimitPBTPersistent Bioaccumulative ToxicPNECPredicted No-Effect ConcentrationREACHRegistration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006RIDSafety Data SheetvPvBVery Persistent and Very BioaccumulativeVGKWater Hazard Class		
LC50Median lethal concentrationLD50Median lethal doseLOAELLowest Observed Adverse Effect LevelNOAECNo-Observed Adverse Effect LevelNOAELNo-Observed Adverse Effect LevelNOECNo-Observed Effect ConcentrationOELOccupational Exposure LimitPBTPersistent Bioaccumulative ToxicPNECRegistration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006RIDSafety Data SheetVPVBVery Persistent and Very Bioaccumulative	ΙΑΤΑ	International Air Transport Association
LD50Median lethal doseLOAELLowest Observed Adverse Effect LevelNOAECNo-Observed Adverse Effect ConcentrationNOAELNo-Observed Adverse Effect LevelNOECNo-Observed Effect ConcentrationOELOccupational Exposure LimitPBTPersistent Bioaccumulative ToxicPNECPredicted No-Effect Concentration and Restriction of Chemicals Regulation (EC) No 1907/2006REACHRegulations concerning the International Carriage of Dangerous Goods by RailSDSSafety Data SheetVPVBVery Persistent and Very Bioaccumulative	IMDG	International Maritime Dangerous Goods
LOAELLowest Observed Adverse Effect LevelNOAECNo-Observed Adverse Effect ConcentrationNOAELNo-Observed Adverse Effect LevelNOECNo-Observed Effect ConcentrationOELOccupational Exposure LimitPBTPersistent Bioaccumulative ToxicPNECPredicted No-Effect ConcentrationREACHRegistration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006RIDSafety Data SheetvPvBVery Persistent and Very Bioaccumulative	LC50	Median lethal concentration
NOAECNo-Observed Adverse Effect ConcentrationNOAELNo-Observed Adverse Effect LevelNOECNo-Observed Effect ConcentrationOELOccupational Exposure LimitPBTPersistent Bioaccumulative ToxicPNECPredicted No-Effect ConcentrationREACHRegistration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006RIDSafety Data SheetvPvBVery Persistent and Very Bioaccumulative	LD50	Median lethal dose
NOAELNo-Observed Adverse Effect LevelNOECNo-Observed Effect ConcentrationOELOccupational Exposure LimitPBTPersistent Bioaccumulative ToxicPNECPredicted No-Effect ConcentrationREACHRegistration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006RIDSafety Data SheetvPvBVery Persistent and Very Bioaccumulative	LOAEL	Lowest Observed Adverse Effect Level
NOECNo-Observed Effect ConcentrationOELOccupational Exposure LimitPBTPersistent Bioaccumulative ToxicPNECPredicted No-Effect ConcentrationREACHRegistration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006RIDRegulations concerning the International Carriage of Dangerous Goods by RailSDSSafety Data SheetvPvBVery Persistent and Very Bioaccumulative	NOAEC	No-Observed Adverse Effect Concentration
NoteNoteOELOccupational Exposure LimitPBTPersistent Bioaccumulative ToxicPNECPredicted No-Effect ConcentrationREACHRegistration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006RIDRegulations concerning the International Carriage of Dangerous Goods by RailSDSSafety Data SheetvPvBVery Persistent and Very Bioaccumulative	NOAEL	No-Observed Adverse Effect Level
PBTPersistent Bioaccumulative ToxicPNECPredicted No-Effect ConcentrationREACHRegistration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006RIDRegulations concerning the International Carriage of Dangerous Goods by RailSDSSafety Data SheetVPVBVery Persistent and Very Bioaccumulative	NOEC	No-Observed Effect Concentration
PNECPredicted No-Effect ConcentrationREACHRegistration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006RIDRegulations concerning the International Carriage of Dangerous Goods by RailSDSSafety Data SheetvPvBVery Persistent and Very Bioaccumulative	OEL	Occupational Exposure Limit
REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006RIDRegulations concerning the International Carriage of Dangerous Goods by RailSDSSafety Data SheetvPvBVery Persistent and Very Bioaccumulative	PBT	Persistent Bioaccumulative Toxic
RID     Regulations concerning the International Carriage of Dangerous Goods by Rail       SDS     Safety Data Sheet       VPVB     Very Persistent and Very Bioaccumulative	PNEC	Predicted No-Effect Concentration
SDS     Safety Data Sheet       vPvB     Very Persistent and Very Bioaccumulative	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
vPvB Very Persistent and Very Bioaccumulative	RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
	SDS	Safety Data Sheet
WGK Water Hazard Class	vPvB	Very Persistent and Very Bioaccumulative
	WGK	Water Hazard Class

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

#### The classification complies with : ATP 12

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.